



✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

◇

◇

◇

◇

◇

◇


◇

◇

◇

◇

◇



◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇

◇





Figure1 Angle of Module installation

◇

✧

✧



✧

✧

✧

✧

✧

✧

✧

✧

✧

✧



✧

✧


✧

✧


✧



Test loads installed in four holes (perpendicular to the long side) in different Module models






Test loads for external four-hole mounting of different Module





moduels



			
--	--	--	--



✧

✧


✧



✧



✧



✧

✧









◇

◇

◇

◇

◇

◇



✧

✧

		---		---

K@L W@EV

✧

DQ

✧

✧

✧

✧

✧

✧

✧

✧





◇

◇

◇

◇





◇

◇

◇

◇

◇

◇



◇


◇

KAH

K

W 1910°

零件 part	示意图 diagram	连接方式 link mode
		<p>Place star washers, flat washers, and ground wires in turn, thread screws through the ground holes, and tighten them to secure adjacent components.</p>



✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧

✧